



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name	Tectyl™ 506-EH
Registration number (REACH)	not relevant (mixture)
Unique formula identifier (UFI)	HW24-PCW0-9006-ET30 QHR6-120A-7009-MHC6

Article number	TE24827
----------------	---------

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Corrosion inhibitor
Uses advised against	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

CorPro GmbH
Frankfurter Straße 63 - 69
65760 Eschborn
Germany

Telephone: 00496173 9373-0
e-mail: info@corpro.gmbh
Website: www.corpro.gmbh

1.4 Emergency telephone number

Emergency information service	+32 3575 5555 24 hours emergency information -
-------------------------------	--

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

- Pictograms

GHS02, GHS07



- Hazard statements

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist/vapours.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTRE/doctor if you feel unwell.
P370+P378 In case of fire: Use dry sand, extinguishing powder or alcohol-resistant foam to extinguish.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

- Hazardous ingredients for labelling

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC No 919-857-5 REACH Reg. No 01-2119463258-33-xxxx	25 – < 50	Flam. Liq. 3 / H226 STOT SE 3 / H336 Asp. Tox. 1 / H304	
Sulfonic acids, petroleum, sodium salts	CAS No 68608-26-4 EC No 271-781-5 REACH Reg. No 01-2119527859-22-xxxx	1 – < 5	Eye Irrit. 2 / H319	
Calcium dihydroxide	CAS No 1305-62-0	1 – < 5	STOT SE 3 / H335	



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
	EC No 215-137-3			
2-ethylhexanoic acid, manganese salt	CAS No 15956-58-8 EC No 240-085-3 REACH Reg. No 01-2119979087-23- XXXX	< 1	Eye Irrit. 2 / H319 Repr. 1B / H360D STOT RE 2 / H373 Aquatic Chronic 3 / H412	 

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures**4.1 Description of first aid measures****General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. If symptoms persist: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂), Dry sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Do not spray on an open flame or other ignition source. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)								
Country	Name of agent	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]
EU	calcium dihydroxide	IOELV		1		4		

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sulfonic acids, petroleum, sodium salts	68608-26-4	DNEL	0.66 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfonic acids, petroleum, sodium salts	68608-26-4	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Calcium dihydroxide	1305-62-0	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
Calcium dihydroxide	1305-62-0	DNEL	4 mg/m³	human, inhalatory	worker (industry)	acute - local effects
2-ethylhexanoic acid, manganese salt	15956-58-8	DNEL	0.83 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
2-ethylhexanoic acid, manganese salt	15956-58-8	DNEL	0.83 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
2-ethylhexanoic acid, manganese salt	15956-58-8	DNEL	0.39 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Sulfonic acids, petroleum, sodium salts	68608-26-4	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sulfonic acids, petroleum, sodium salts	68608-26-4	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Sulfonic acids, petroleum, sodium salts	68608-26-4	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sulfonic acids, petroleum, sodium salts	68608-26-4	PNEC	723,500,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sulfonic acids, petroleum, sodium salts	68608-26-4	PNEC	723,500,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sulfonic acids, petroleum, sodium salts	68608-26-4	PNEC	868,700,000 mg/kg	terrestrial organisms	soil	short-term (single instance)
Calcium dihydroxide	1305-62-0	PNEC	0.49 mg/l	aquatic organisms	freshwater	short-term (single instance)
Calcium dihydroxide	1305-62-0	PNEC	0.32 mg/l	aquatic organisms	marine water	short-term (single instance)
Calcium dihydroxide	1305-62-0	PNEC	3 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Calcium dihydroxide	1305-62-0	PNEC	1,080 mg/kg	terrestrial organisms	soil	short-term (single instance)
2-ethylhexanoic acid, manganese salt	15956-58-8	PNEC	0.065 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-ethylhexanoic acid, manganese salt	15956-58-8	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
2-ethylhexanoic acid, manganese salt	15956-58-8	PNEC	47.55 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-ethylhexanoic acid, manganese salt	15956-58-8	PNEC	7.26 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2-ethylhexanoic acid, manganese salt	15956-58-8	PNEC	0.73 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
2-ethylhexanoic acid, manganese salt	15956-58-8	PNEC	1.24 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Skin protection**- Hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

CR: chloroprene (chlorobutadiene) rubber

- Material thickness

>0.3 mm

- Breakthrough times of the glove material

>60 minutes (permeation: level 3)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	liquid (viscous)
Colour	brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	40 °C
Auto-ignition temperature	>200 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	>21 mm ² /s at 40 °C
Dynamic viscosity	3,750 mPa s at 20 °C

Solubility(ies)

Water solubility	not miscible in any proportion insoluble in water
------------------	---

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Density and/or relative density

Density	0.87 g/cm ³
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics

Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equipment: 200°C)
--------------------------------------	--

SECTION 10: Stability and reactivity**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		oral	LD50	>5,000 mg/kg	rat
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		inhalation: vapour	LC50	>9,300 mg/m ³ /4h	rat
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		dermal	LD50	>2,000 mg/kg	rat
Sulfonic acids, petroleum, sodium salts	68608-26-4	inhalation: dust/mist	LC50	>1.9 mg/l/4h	rat
Sulfonic acids, petroleum, sodium salts	68608-26-4	dermal	LD50	>5,000 mg/kg	rabbit
Calcium dihydroxide	1305-62-0	oral	LD50	>2,000 mg/kg	rat
Calcium dihydroxide	1305-62-0	inhalation: dust/mist	LC50	>6.04 mg/l/4h	rat
Calcium dihydroxide	1305-62-0	dermal	LD50	>2,500 mg/kg	rabbit
2-ethylhexanoic acid, manganese salt	15956-58-8	oral	LD50	≥2,000 mg/kg	rat
2-ethylhexanoic acid, manganese salt	15956-58-8	inhalation: dust/mist	LC50	>1.62 mg/l/4h	rat
2-ethylhexanoic acid, manganese salt	15956-58-8	dermal	LD50	>2,000 mg/kg	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

SECTION 12: Ecological information**12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		LL50	>1,000 mg/l	fish	24 h
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		EL50	>1,000 mg/l	aquatic invertebrates	24 h
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		LC50	>0.004 mg/l	aquatic invertebrates	96 h
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		EC50	>0.004 mg/l	aquatic invertebrates	48 h
Sulfonic acids, petroleum, sodium salts	68608-26-4	LL50	>10,000 mg/l	fish	96 h
Sulfonic acids, petroleum, sodium salts	68608-26-4	EC50	>1,000 mg/l	aquatic invertebrates	48 h
Sulfonic acids, petroleum, sodium salts	68608-26-4	ErC50	>1,000 mg/l	algae	72 h
Calcium dihydroxide	1305-62-0	LC50	50.6 mg/l	fish	96 h
Calcium dihydroxide	1305-62-0	EC50	49.1 mg/l	aquatic invertebrates	48 h
Calcium dihydroxide	1305-62-0	ErC50	184.6 mg/l	algae	72 h
2-ethylhexanoic acid, manganese salt	15956-58-8	LC50	>100 mg/l	fish	96 h
2-ethylhexanoic acid, manganese salt	15956-58-8	EC50	4.83 mg/l	fish	96 h
2-ethylhexanoic acid, manganese salt	15956-58-8	LL50	5.12 mg/l	fish	96 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		LL50	>100 mg/l	fish	3 h
Sulfonic acids, petroleum, sodium salts	68608-26-4	EC50	≤5,000 mg/l	microorganisms	8 h
Calcium dihydroxide	1305-62-0	LC50	53.1 mg/l	aquatic invertebrates	14 d
Calcium dihydroxide	1305-62-0	EC50	300.4 mg/l	microorganisms	3 h
2-ethylhexanoic acid, manganese salt	15956-58-8	EC50	43.3 mg/l	aquatic invertebrates	21 d



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

12.2 Persistence and degradability

Degradability of components						
Name of sub-stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		oxygen depletion	10 %	5 d		ECHA
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		carbon dioxide generation	78 %	28 d		ECHA
2-ethylhexanoic acid, manganese salt	15956-58-8	DOC removal	99 %	28 d		ECHA Chem

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		$\geq 30.85 - \leq 2,626$	$\geq 3.17 - \leq 6.23$ (pH value: ~7, 20 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessmentDoes not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.**12.6 Endocrine disrupting properties**Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.**12.7 Other adverse effects**

Data are not available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packageings

It is a dangerous waste; only packageings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

SECTION 14: Transport information**14.1 UN number or ID number**

ADR	UN 1139
IMDG-Code	UN 1139
ICAO-TI	UN 1139

14.2 UN proper shipping name

ADR	COATING SOLUTION
IMDG-Code	COATING SOLUTION
ICAO-TI	Coating solution

14.3 Transport hazard class(es)

ADR	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

ADR	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations**Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information**

Classification code	F1
Danger label(s)	3



Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	3

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)



Special provisions (SP)	955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, <u>S-E</u>
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)	3
-----------------	---



Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Relevant provisions of the European Union (EU)****Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Tectyl™ 506-EH	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	flammable / pyrophoric		R40	40
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	substances in tattoo inks and permanent make-up		R75	75

Legend

- R3**
- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 - Articles not complying with paragraph 1 shall not be placed on the market.
 - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 - Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
 - lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40**
- Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Legend

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopie' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
- (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
- (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
- (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

- (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
- (ii) 0,01 % by weight, in all other cases;
- (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
- (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
- (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

- (a) the statement "Mixture for use in tattoos or permanent make-up";
- (b) a reference number to uniquely identify the batch;
- (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Legend

the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Deco-Paint Directive

VOC content	<60 %
-------------	-------

Industrial Emissions Directive (IED)

VOC content	<55 %
-------------	-------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
2-ethylhexanoic acid, manganese salt		a)	
2-ethylhexanoic acid, manganese salt		a)	
Calcium dihydroxide		a)	

Legend

a) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
US	TSCA	not all ingredients are listed

LegendREACH REACH registered substances
Reg.

TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Indication of changes (revised safety data sheet)**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
8.2		Material thickness: >0.3 mm	yes
8.2		Breakthrough times of the glove material: >60 minutes (permeation: level 3)	yes
11.1		Acute toxicity of components: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components: change in the listing (table)	yes
12.2		Degradability of components: change in the listing (table)	yes
12.3		Bioaccumulative potential of components: change in the listing (table)	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical sub-



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Abbr.	Descriptions of used abbreviations
	stances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Tectyl™ 506-EH

Version number: GHS 6.0

Revision: 2025-11-01

Replaces version of: 2025-03-15 (GHS 5)

Abbr.	Descriptions of used abbreviations
Repr.	Reproductive toxicity
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H360D	May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.